


L Number	Hits	Search Text	DB	Time stamp
2	3974	235/375.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:05
3	950	235/493.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:05
4	653	705/16.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:05
5	212	705/17.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:05
6	3352	((electronic communication system and storage medium).ti.) and 235/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:06
7	15	235/\$.ccls. and (heat same (reversible or irreversible)) and print\$3 and (updat\$3 or performance\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:06
8	4	4728177.pn. 3978320.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:06
9	116	((707/10.ccls. and attribute) and card) and (magnetic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:19
10	3675	707/10.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:19
11	26	((transaction adj card) and(card same (illustration or picture))) and travel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 18:19


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#)^{New!} [more »](#)

[Advanced Search](#)
[Preferences](#)

WebResults 1 - 10 of about 13,700 for **create message system plural tables**. (0.21 seconds)

[package java_cup; import java.util.Enumeration; import java.io. ...](#)
 ... throws java.lang.Exception { parser parser_obj; /* **create** a parser and ... Emit a long summary **message** to standard error (**System.err**) which * summarizes ...
[www.cc.gatech.edu/gvu/people/Faculty/hudson/java_cup/classes.v0.9e/java_cup/Main.java](#) - 29k - [Cached](#) - [Similar pages](#)

Sponsored Links

[Modular Furniture Systems](#)
 Including Panels, Shelves, Drawers, Work Surfaces, Accessories and more
[www.officedepot.com](#)

[See your message here...](#)[PostgreSQL 7.4 Documentation \(Data Definition\)](#)

... Schemas and Privileges 5.8.5. The **System** Catalog Schema ... table before creating it, ignoring the error **messages**. ... discussed so far you can **create** fully functional ...
[www.postgresql.org/docs/7.4/interactive/ddl.html](#) - 17k - [Cached](#) - [Similar pages](#)

[.NET 247 : Create class using name? Late bound - HELP! on ...](#)

... I have a persistence manager that will get the row from the appropriate table, **create** a new Task object (for ... c [Original **message** clipped]. **System.Data.DataRow**. ...
[www.dotnet247.com/247reference/messages/24/121769.aspx](#) - 16k - [Cached](#) - [Similar pages](#)

[SuperMan Pages: n](#)

... newusers, update and **create** new users in batch. shadow-utils. ... ngettext, translate **message** and choose **plural** form. ... nhfsstone, Network File **System** benchmark program. ...
[gd.tuwien.ac.at/linuxcommand.org/smp_n.html](#) - 43k - [Cached](#) - [Similar pages](#)

[\[PDF\] Cray Message System Programmer's Guide SG-2121 6.5](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Page 1. Cray © **Message System** Programmer's Guide SG-2121 6.5 Document Number007-3548-002 Page 2, ... ix Introduction [1] 1 **Message System** Features[techpubs.sgi.com/library/manuals/3000/ 007-3548-002/pdf/007-3548-002.pdf](#) -[Similar pages](#)[SuperMan Pages: n](#)

... newusers. update and **create** new users in batch. shadow-utils. ... ngettext. translate **message** and choose **plural** form. ... nhfsstone. Network File **System** benchmark program. ...
[linuxcommand.org/smp_n.php](#) - 24k - [Cached](#) - [Similar pages](#)

[pro | business AG](#)

... You also should **create** indexes for often used select statements ... would work via the unique **message** id ... Hugh Darwen [2] An Introduction to Database **Systems** CJ Date ...

[www.probusiness.de/projekte/phpgroupware/ sql_style_guide.html](#) - 14k - [Cached](#) -[Similar pages](#)[why tables rule](#)

... Javascript/DHTML if needs be, but you can **create** most of ... Then again, so would the windows operating **system**. ... This 64 **message** thread spans 5 pages: ([1] 2 3 4 5 ...
[www.webmasterworld.com/forum83/3209-1-15.htm](#) - [Similar pages](#)

[Lafcadio](#)

... For example, let's say you want to have a simple email-like **system** where users can send one another **messages**. First, **create** a **Messages** table in MySQL: ...
[lafcadio.rubyforge.org/tutorial.html](#) - 15k - [Cached](#) - [Similar pages](#)

[\[Wikitech-l\] wiktionary](#)

... 14, brian suda wrote: > this is a **message** based on a ... This database **system** allows for much more than current free ... It would be easy to **create** a software suited to ... mail.wikipedia.org/pipermail/wikitech-l/2004-February/008376.html - 12k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#) [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [All About Google](#)

©2004 Google